AMENDMENTS TO THE CLAIMS

Claim 1 (currently amended): A method <u>of inducing weight loss</u> comprising in combination, during a period of time

(a) administering one or more servings of one or more calcium-containing products comprising <u>a</u> therapeutically effective <u>amounts amount</u> of calcium in <u>an amount of at least the range of about 773 745 mg to about 1459 mg per day to an obese individual suffering from at least Grade I obesity, with a BMI value of at least about 25.0 and thereby inducing a metabolic change in said individual, and</u>

(b) restricting reducing the caloric intake of said obese individual to a caloric intake below ad lib in to a range of about 200 to about 2500 kcal per day,

wherein the individual loses weight during the period of time, and

wherein the individual is a woman and the one or more servings comprises at least is in the range of about 57 56 to about 106 servings of dairy per month.

Claims 2-4 (canceled)

Claim 5 (previously presented): The method according to claim 1, comprising administering a calcium-containing dietary supplement, foodstuffs supplemented with calcium, or other foods high in calcium, or combinations thereof.

Claim 6 (previously presented): The method according to claim 5, wherein said calcium is contained in salmon, beans, tofu, spinach, turnip greens, kale, broccoli, milk, yogurt, cheeses, cottage cheese,—frozen yogurt, nutrient supplements, calcium fortified vitamin supplements, or liquids supplemented with calcium, or combinations thereof.

Claims 7-27 (canceled)

Claim 28 (previously presented): The method according to claim 5, wherein said calcium is contained in a dietary supplement.

Claim 29 (previously presented): The method according to claim 5, wherein said calcium is contained in foodstuffs supplemented with calcium.

Claim 30 (previously presented): The method according to claim 5, wherein said calcium is contained in foods high in calcium.

Claim 31 (previously presented): The method according to claim 6, wherein said calcium is contained in salmon.

Claim 32 (previously presented): The method according to claim 6, wherein said calcium is contained in beans.

Claim 33 (previously presented): The method according to claim 6, wherein said calcium is contained in tofu.

Claim 34 (previously presented): The method according to claim 6, wherein said calcium is contained in spinach.

Claim 35 (previously presented): The method according to claim 6, wherein said calcium is contained in turnip greens.

Claim 36 (previously presented): The method according to claim 6, wherein said calcium is contained in kale.

Claim 37 (previously presented): The method according to claim 6, wherein said calcium is contained in broccoli.

Claims 38-40 (cancelled)

Claim 41 (previously presented): The method according to claim 1, wherein said calcium is contained in milk.

Claim 42 (previously presented): The method according to claim 1, wherein said calcium is contained in yogurt.

Claim 43 (previously presented): The method according to claim 1, wherein said calcium is contained in cheeses.

Claim 44 (previously presented): The method according to claim 1 wherein said calcium is contained in cottage cheese.

Claim 45 (cancelled)

Claim 46 (previously presented): The method according to claim 1, wherein said calcium is contained in frozen yogurt.

Claim 47 (previously presented): The method according to claim 6, wherein said calcium is contained in nutrient supplements.

Claim 48 (previously presented): The method according to claim 6, wherein said calcium is contained in calcium fortified vitamin supplements.

Claim 49 (previously presented): The method according to claim 6, wherein said calcium is contained in liquids supplemented with calcium.

Claim 50 (currently amended): A method <u>of inducing weight loss</u> comprising in combination, during a period of time:

- (a) administering on a daily basis one or more servings of dairy products comprising a sufficient amount of calcium to an obese individual suffering from at least Grade I obesity, with a BMI value of at least about 25.0, and thereby inducing a metabolic change in said individual; and
- (b) restricting reducing the caloric intake of said obese individual to a caloric intake below ad lib in to a range of about 200 to about 2500 kcal per day,

wherein the individual is a woman and the individual loses weight during the period of time, and

wherein the sufficient amount is at least in the range of about 773 745 mg to about 1459 mg of calcium per day and at least in the range of about 57 56 to about 106 servings of dairy per month.

Claim 51 (currently amended): The method according to claim 50, further comprising attenuating, controlling and/or reducing weight gain and/or increasing the metabolic consumption of adipose tissue.

Claim 52 (currently amended): The method according to claim 1, wherein calcium is administered daily in an amount of at least about 1000 mg.

Claim 53 (currently amended): The method according to claim 1, wherein calcium is administered daily in an amount of at least about 1,346 mg.

Claim 54 (cancelled)

Claim 55 (previously presented): The method according to claim 50, wherein the dairy product is milk, yogurt, and/or cheese.

Claim 56 (cancelled)

Claim 57 (currently amended): The method according to claim 50, wherein the amount is at least about 102 servings of dairy per month.

Docket No.: 31894-192403

Claim 58 (cancelled)

Claim 59 (previously presented): The method according to claim 50, wherein the individual has Grade II obesity.

Claim 60 (previously presented): The method according to claim 50, wherein the individual has Grade III obesity.

Claim 61 (currently amended): A method <u>of inducing weight loss</u> comprising in combination, during a period of time:

- (a) administering one or more servings of calcium-containing dairy products comprising therapeutically effective amounts of dietary calcium to an obese individual suffering from at least Grade I obesity, with a BMI value of at least about 25.0, and thereby inducing a metabolic change in said individual; and
- (b) restricting reducing the caloric intake of said obese individual to a caloric intake below ad lib in to a range of about 200 to about 2500 kcal per day,

wherein the individual is a woman and the individual loses weight during the period of time, and

wherein the therapeutically effective amount is above in the range of about 57 56 to about 106 servings of dairy per month and above in the range of about 400 745 mg to about 1459 mg calcium per day.

Claim 62 (currently amended): The method according to claim 61, further comprising increasing the amount of dietary calcium to a level above 400 in the range of about 773 mg to about 1346 mg per day.

Claim 63 (cancelled).

Claim 64 (currently amended): The method according to claim 61, wherein the amount of dietary calcium is at least about 1000 mg per day.

Claim 65 (new): The method according to claim 1, wherein the amount of calcium is in the range of about 773 mg to about 1346 mg per day.

Claim 66 (new): The method according to claim 1, wherein the amount of calcium is about 773 mg per day.

Claim 67 (new): The method according to claim 1, wherein the amount of calcium is about 1000 mg per day.

Claim 68 (new): The method according to claim 1, wherein the amount of calcium is about 1346 mg per day.

Claim 69 (new): The method according to claim 1, wherein the one or more servings is in the range of about 57 to about 102 servings of dairy per month.

Claim 70 (new): The method according to claim 1, wherein the one or more servings is in the range of about 57 servings of dairy per month.

Claim 71 (new): The method according to claim 1, wherein the one or more servings is in the range of about 102 servings of dairy per month.

Application No. 10/066,057 Response to non-final Office Action mailed July 8, 2008

Claim 72 (new): The method according to claim 1, wherein the caloric intake is in a range of about 2000 to about 2500 kcal per day.

Docket No.: 31894-192403